

GOVERNMENT OF ANDHRA PRADESH
A B S T R A C T

Public Services - Irrigation & CAD Department – Sri S.Abuthaleem, formerly Asst. Executive Engineer, Division No.3, Owk , Kurnool district and 3 other engineers – Irregularities in construction of Owk Reservoir Complex from Km 116.481 to Km 119.717 of SRBC, comprising of paleru earth dam, Gollaleru earth dam with spillway regulator and Thimmaraju earth dam with head regulator in Owk (Vg), Kurnool district - Departmental proceedings under Rule-20 of the A.P.Civil Services (CC&A) Rules, 1991 - Further action dropped - orders - Issued

=====

IRRIGATION & CAD(SER.X.1) DEPARTMENT

G.O.Rt.No.602

Dated:23.05.2012.

Read the following:

- 1.From CE(P) Tungabhadra, TGP Wing, Kadapa Lr.No. CE(P)/TB/TGPW/SRBC-2/kdp/AE1/236/2005,dt. 6.9.2005.
2. Govt.Memo.No.16269/Ser.X1/2006-1, dt. 09.06.2006.
3. From the Engineer-In-Chief (Admn. Wing) Hyderabad Lr.No.Rc/ ENC/ S1(4) / 21964/2006, dt. 31.12.2009
4. Govt.Memo.No.16269/Ser.X1/2006-7, dt. 01.02.2010
5. From Chief Engineer (P) Irrigation, Kurnool, Lr.No. CE(P) KNL/EC1/V & E /74 Govt., dt. 15.3.2011.
6. G.O.Rt.No.315, I & CAD(Ser.X.1) Dept., dt. 6.4.2011
7. G.O.Rt.No.316, I & CAD(Ser.X.1) Dept., dt. 6.4.2011
8. G.O.Rt.No.317, I & CAD(Ser.X.1) Dept., dt. 6.4.2011
9. G.O.Rt.No.318, I & CAD(Ser.X.1) Dept., dt. 6.4.2011
10. WSSD of Sri S. Abuthaleem, formerly AEE, Division No.3, Owk, Kurnool district, dt. 28.05.2011
11. WSSD of Sri B.Sudhakar, formerly AE, Division No.3, Owk, Kurnool district, dt. 26.6.2011.
12. WSSD of Sri K. Chandrasekhara Reddy, formerly AEE Division, No.3, Owk, Kurnool district dt. 28.05.2011
13. WSSD of Sri B. Mallikarjuna Rao,, formerly AEE, Division No.3, Owk, Kurnool district dt. 9.5.2011

&&&

ORDER:

It was brought to the notice of the Government that, certain engineers have committed irregularities in preparing and submission of erroneous revised estimates, which was technically sanctioned for Rs. 11,07,36,077/- with SSR for the year 2003-04, without the provisions, for important item of works in construction of Owk Reservoir Complex from Km 116.481 to Km 119.717 of SRBC comprising of paleru earth dam, Gollaleru earth dam with Spillway regulator and Thimmaraju earth dam with head regulator in Owk (Vg), Kurnool district.

2. The Chief Engineer (Projects) , Irrigation, Kurnool has submitted a report on the above said irregularities. Government have examined the report and initiated disciplinary action under APCS (CC & A) Rules, 1991, by service AOCS against the following engineers vide reference 6th to 9th read above, as they were responsible for signing the revised estimates.

1. Sri S. Abuthaleem, Asst.Executive Engineer,
2. Sri B.Sudhakar, Assistant Engineer,
3. Sri K. Chandrasekhara Reddy, Asst. Executive Engineer
4. Sri B. Mallikarjuna Rao, Asst. Executive Engineer

Contd.. page ..2

//2//

3. In the reference 10th to 13th read above, charged officers have submitted their Written Statements of Self Defense denying the charges, and requested to drop the charges framed against them.

4. Government after careful examination of the matter, have decided and hereby order to drop further action on the charges framed against (1) Sri S. Abuthaleem, the then Assistant Executive Engineer, (2) Sri B.Sudhakar, the then Assistant Engineer, (3) Sri K. Chandrasekhara Reddy, the then Assistant Executive Engineer and (4) Sri B. Mallikarjuna Rao, the then Assistant Executive Engineer, Division No.3, Owk , Kurnool district.

5. The Engineer-In-Chief (Admn. Wing), I &CAD Department, Hyderabad, shall take necessary action, accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHAILENDRA KUMAR JOSHI
PRINCIPAL SECRETARY TO GOVERNMENT

To

The individuals through the Engineer-In-Chief (Admn. Wing),
I &CAD Department, Hyderabad
The Engineer-In-Chief (Admn. Wing),
I &CAD Department, Hyderabad
Copy to:
The Secretary to VC, APVC, Hyderabad
SF/SC.

//FORWARDED: : BY ORDER//

SECTION OFFICER